

In Re Application of TUCKER Serial No.: 10/617,250

Filed: July 11, 2003 Confirmation Number: 2432

Title: PANEL AND RELATED WALL STRUCTURE

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Responsive to the October 13, 2004 Notice Of Incomplete Reply, attached hereto are $\underline{9}$ sheets of formal drawings, along with a copy of said notice.

If there are any fees in connection with this Request please charge the appropriate fee to our Deposit Account No. 06-1638.

Respectfully submitted, JACOBSON HOLMAN, PLLC

By:


Joha C. Holman Reg. No. 22,769

400 Seventh Street, N.W. Washington, D.C. 20004 (202) 638-6666

JCH:emo

Atty. Docket No. P69021US0 Date: December 13, 2004





UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. DOX 1450 Alexandra, Vinginia 22313-1450 www.ungit.gov

APPLICATION NUMBER

FILING OR 371 (c) DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/617,250

JACOBSON HOLMAN PLLC

WASHINGTON, DC 20004

400 SEVENTH STREET N.W.

00136

SUITE 600

07/11/2003

Mark Irvine Tucker

P69021US0

CONFIRMATION NO. 2432

FORMALITIES LETTER

OC000000014075941*

Date Mailed: 10/13/2004

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on 04/13/2004 to the Notice to File Missing Parts (Notice) mailed 10/13/2004 and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application. Replies should be mailed to: Mail Stop Missing Parts, Commissioner for Patents, P.O. Box 1450, Alexandria VA 22313-1450.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - Numbers, letters, and reference characters on the drawings must measure at least 0.32 cm (1/8 inch) in height. See Figure(s) 10, 11.

Replies should be mailed to:

Mail Stop Missing Parts

Commissioner for Patents

P.O. Box 1450

Alexandria VA 22313-1450

A copy of this notice <u>MUST</u> be returned with the reply.



Customer Service Center
Initial Patent Examination Division (703) 308-1202
PART 2 - COPY TO BE RETURNED WITH RESPONSE